





```
chroot_local_user=YES. YES (chroot-), chroot- (. "500 OOPS: vsftpd: refusing to run with writable root inside chroot ()").
```

- chroot- , .
  - chroot, allow\_writeable\_chroot=YES. ;
- ```
, local_root=<_>. , /etc/vsftpd.conf . . .
```

```
, /etc/vsftpd.conf . . :
```

1. /etc/vsftpd.conf user\_config\_dir=<\_>.
2. , . . , .

```
, write_enable=YES.
```

```
anon_mkdir_write_enable, anon_other_write_enable, anon_upload_enable. .man vsftpd.conf. .
```

## FTP :

```
(). , . :
```

1. anonymous\_enable=NO anonymous\_enable=YES.
2. ftp ( /etc/passwd /srv/ftp). anon\_root=<\_>. /srv/ftp ( ftp), ( - "500 OOPS: cannot change directory:/srv/ftp"). ftp, (. "500 OOPS: vsftpd: refusing to run with writable root inside chroot ()"). .

```
/var/log/vsftpd.log. /etc/vsftp.conf:
```

 # You may override where the log file goes if you like. The default is shown # below. #xferlog\_file=/var/log/vsftpd.log

```
, . , . :
```

 touch /var/log/vsftpd.log  
service vsftpd restart

```
dirmessage_enable=YES.
```

```
, , .message, message_file
```

## 20-

```
FTP :
```

- - , . . TCP- (1024-65535) 21 FTP- , . ;
- , .

```
, FTP ( ).
```

- : 1024-65535 , . 20;
- : 1024-65535), ;

```
FTP FTP - , .  
, FTP- , .
```

## "500 OOPS: vsftpd: refusing to run with writable root inside chroot ()"

```
vsftpd .  
500 ,::
```



```
• (write_enable=YES);  
• ;  
• ,  
• , , .
```

```
, anon_root.
```

```
. . .
```

### FTP Astra Linux

```
(--help -h) man.
```

#### ftp

```
ftp. Astra Linux.
```

```
: /usr/bin/netkit-ftp, /usr/bin/ftp.
```

#### inetutils-ftp

```
ftp. Astra Linux x.7.
```

```
: /usr/bin/inetutils-ftp, /usr/bin/ftp.
```

#### ncftp

```
ftp. Astra Linux x.7.
```

```
: /usr/bin/ncftp3, /usr/bin/ncftp.
```

#### lftp

```
, FTP . Astra Linux.
```

```
: /usr/bin/lftp
```