

# Astra Linux Special Edition 1.6:

- [mkiosk](#)
- [otrace](#)
- [fly-admin-kiosk](#)
- [Fly](#)

**i** :

- Astra Linux Special Edition .10015-01 ( 1.6) 5.15 parsec-kiosk2

**!** , , . parsec-kiosk2 - PARSEC, ( . -2: [parsec-kiosk2](#) ( )). 5.15. () 5.15, parsec-kiosk parsec-kiosk2. . parsec-kiosk2 - fly-admin-kiosk , . 1, 16.3. . :

- -2 ;
- -2: [parsec-kiosk2](#) ( );
- Astra Linux: 5 .

• [umask](#) , umask , .

/etc/parsec/kiosk\_mask 0000 ( ).

- 0003 ( ), , , , ;
- 0000, .

, /parsecfs/mode\_mask.

• , . .

parsec-cups ( ).

## mkiosk

mkiosk . ACL parsec, . ACL .

• , , /etc/hosts :

**i** /etc/hosts r--

(r), (w) (x) /usr/bin/example.sh :

**i** /usr/bin/example.sh rwx

• , . -., bash, ls .. /etc/parsec/kiosk-profiles. , mkiosk . ` , .. . , . default, mkiosk. , . , . ("").

otrace.

• , /etc/parsec/kiosk , , , , . , .

PAM-. mkiosk :

-h, --help	
-u, --user=	

-w, --without-profile	.
-e, --mask	. , . /parsecfs/mode_mask

```
:
, /etc/parsec/kiosk/<_>
```

```
sudo mkiosk -u <_>
```

```
/etc/passwd , . , 0003 , , :
```

```
mkiosk -u <_> --mask=3 --without-profile "/etc/passwd r--"
```

## otrace

otrace open() execve().  
otrace:


otrace [-h, --help] [-s, --silent] [-o, --output=] [-k, --kiosk-dir=] [-p, --pid=] [-u, --user=] [-t, --trace] [-a, --audit-trace] [-m, --merge] [-f, --trace-failed] [-e, --mask=] [command]

```
otrace .
( , , . , , . ACL - parsec. . ACL - .
, . /etc/parsec/kiosk-profiles`
, ls:
```

- /bin/ls r-x
- /etc/group r--
- /etc/ld.so.cache r--
- /etc/ld.so.preload r--
- /etc/localtime r--
- /etc/nsswitch.conf r--
- /etc/passwd r--
- /etc/selinux/config r--
- /lib/libacl.so.1 r--
- /lib/libattr.so.1 r--
- /lib/libc.so.6 r--
- /lib/libdl.so.2 r--
- /lib/libnsl.so.1 r--
- /lib/libnss\_compat.so.2 r--
- /lib/libnss\_files.so.2 r--
- /lib/libnss\_nis.so.2 r--
- /lib/libpthread.so.0 r--
- /lib/librt.so.1 r--
- /lib/libselinux.so.1 r--
- /proc/mounts r--
- /usr/lib/gconv/gconv-modules.cache r--
- /usr/lib/gconv/KOI8-R.so r--
- /usr/lib/locale/locale-archive r--
- /usr/share/locale/locale.alias r--
- /usr/share/locale/ru/LC\_MESSAGES/coreutils.mo r--
- /usr/share/locale/ru/LC\_TIME/coreutils.mo r--
- /usr/share/locale/ru\_RU/LC\_MESSAGES/coreutils.mo r--
- /usr/share/locale/ru\_RU/LC\_TIME/coreutils.mo r--
- /usr/share/locale/ru\_RU.utf8/LC\_MESSAGES/coreutils.mo r--
- /usr/share/locale/ru\_RU.utf8/LC\_TIME/coreutils.mo r--
- /usr/share/locale/ru\_RU.UTF-8/LC\_MESSAGES/coreutils.mo r--
- /usr/share/locale/ru\_RU.UTF-8/LC\_TIME/coreutils.mo r--
- /usr/share/locale/ru.utf8/LC\_MESSAGES/coreutils.mo r--
- /usr/share/locale/ru.utf8/LC\_TIME/coreutils.mo r--
- /usr/share/locale/ru.UTF-8/LC\_MESSAGES/coreutils.mo r--
- /usr/share/locale/ru.UTF-8/LC\_TIME/coreutils.mo r--



# fly-admin-kiosk

fly-admin-kiosk,



- , /etc/parsec/kiosk-profiles;
- fly-dm /etc/parsec/kiosk.

parsec-kiosk.

fly-dm /etc/parsec/kiosk /etc/parsec/kiosk-profiles, :

```
sudo mv /etc/parsec/kiosk/fly-dm /etc/parsec/kiosk-profiles/fly-dm
```

fly-dm /etc/parsec/kiosk, :

```
echo fly-dm | sudo tee /etc/parsec/kiosk/fly-dm
```

/etc/parsec/kiosk-profiles, :



```
"/lib64/ld-linux-x86-64.so.2" r-x  
"/lib/x86_64-linux-gnu/ld-linux-x86-64.so.2" r-x
```

fly-admin-kiosk.

<\_> /etc/parsec/kiosk <\_>, ,:

- default
- bash

:

```
echo -e "default\nbash" | sudo tee /etc/parsec/kiosk/<_>
```

:

- (, tty1);
- (, tty2) , :

```
sudo otrace -a -o /etc/parsec/kiosk-profiles/<__> -f --mask=3 -u <_>
```

- parlogd;
- , ;
- ;
- root , <Enter>;
- , ;

```
echo __ | sudo tee -a /etc/parsec/kiosk/<_>
```

- , :

```
echo 0003 | sudo tee /etc/parsec/kiosk_mask
sudo reboot
```

:

- fly-dm /etc/parsec/kiosk/fly-dm;
- fly \_, root :

```
echo fly | sudo tee -a /etc/parsec/kiosk/_
```

fly :

1. ;
2. fly-dm|, :

```
sudo systemctl stop fly-dm
```

3. /usr/bin/x-session-manager, :

```
ls -l /usr/bin/x-session-manager
```

4. .orig, :

```
sudo rm /usr/bin/x-session-manager
sudo ln -s /etc/alternatives/x-session-manager /usr/bin/x-session-
manager.orig
```

5. /usr/bin/x-session-manager :

```
 #!/bin/bash
/usr/sbin/otrace -t -f -o /test/fly --mask=3 /usr/bin/x-session-manager.orig $@ &
sleep 20
/usr/bin/fly-wmfunc FLYWWM_EXIT
```

6. , :

```
sudo chmod 777 /usr/bin/x-session-manager
```

7. strace, :

```
sudo apt install strace
```

8. /test 777, :

```
mkdir -m 777 /test
```

9. fly-dm, :

```
sudo systemctl start fly-dm
```

10. 20 ( -Fly, fly-term);
11. root fly /test, :

```
ls -l /test/fly
```

12. /usr/bin/x-session-manager, :

```
sudo rm /usr/bin/x-session-manager
```

13. /usr/bin/x-session-manager, :

```
sudo ln -s /etc/alternatives/x-session-manager /usr/bin/x-session-manager
```

14. /test/fly , ... resumed ..., /proc , , "/.;"

15. , :

```
sudo cp /test/fly /etc/parsec/kiosk-profiles/fly
```

16. fly , :

```
echo fly | sudo tee -a /etc/parsec/kiosk/<_>
```

17. , :

```
echo 0003 | sudo tee /etc/parsec/kiosk_mask
sudo reboot
```

18. ;

19. , :

- a. ;
- b. /home/<\_>/.xsession-errors, , fly, .  
/home/\_/.xsession-errors:

```
 /etc/X11/fly-dm/Xsession : line 55 /bin/df: /
```

fly:

```
echo '"/bin/df" r-x' | sudo tee -a /etc/parsec/kiosk-profiles/fly
```

20. , :

```
sudo mkiosk -u <_>
```

21. /home/<\_>/.xsession-errors|, "unable to create error file":

- a. fly:
  - i. :
    1. chmod;
    2. rm
    3. cp
  - ii. :
    1. XErrorDB;
    2. /usr/lib/parsec/bin/x-session-manager

(, firefox) :

1. , :

```
echo 0000 | sudo tee /etc/parsec/kiosk_mask
sudo reboot
```

2. ;
3. ;
4. P , :

```
sudo otrace -a -o /etc/parsec/kiosk-profile/firefox -f --mask=3 -u <_>
```

5. parlogd;
6. /firefox;
7. ;
8. , <Enter>;
9. firefox , :

```
echo firefox | sudo tee -a /etc/parsec/kiosk/_
```

10. , :

```
echo 0003 | sudo tee /etc/parsec/kiosk_mask
sudo reboot
```

## Fly

```
fly-admin-smc. fly-admin-smc << Fly>> << Fly>>. . . , . . . , . . . , . . .
```

```
fly-admin-smc , .
```