

: xorg.conf, ,

- [/etc/X11/xorg.conf](#)
- [xorg.conf](#)
-
-
-
- ["Xinerama"](#).



:

- Astra Linux Special Edition .10015-01 (1.7), .10015-10
- Astra Linux Special Edition .10015-17
- Astra Linux Special Edition .10015-37 (7.7)
- Astra Linux Special Edition .10015-03 (7.6)
- Astra Linux Special Edition .10152-02 (4.7)
- Astra Linux Special Edition .10015-01 (1.6)
- Astra Linux Special Edition .10015-16 . 1
- Astra Linux Special Edition .10015-16 . 2
- Astra Linux Special Edition .10265-01 (8.1)
- Astra Linux Common Edition 2.12



Astra Linux Xorg. , . .

/etc/X11/xorg.conf



Astra Linux Xorg . Xorg , , .

Xorg [xorg.conf](#).

Xorg.

(Astra Linux fly-dm).



().

```
sudo reboot
```

:

```
sudo systemctl stop fly-dm
```

/etc/X11/ :



sudo Xorg -configure

/root/xorg.conf.new ():

```
Section "ServerLayout"
Identifier "X.org Configured"
Screen 0 "Screen0" 0 0
InputDevice "Mouse0" "CorePointer"
InputDevice "Keyboard0" "CoreKeyboard"
EndSection
```

```
Section "Files"
ModulePath "/usr/lib/xorg/modules"
FontPath "/usr/share/fonts/msttcorefonts"
FontPath "/usr/share/fonts/X11/misc"
FontPath "/usr/share/fonts/X11/100dpi:unscaled"
FontPath "/usr/share/fonts/X11/75dpi:unscaled"
FontPath "/usr/share/fonts/X11/Type1"
FontPath "/usr/share/fonts/X11/100dpi"
FontPath "/usr/share/fonts/X11/75dpi"
FontPath "built-ins"
EndSection
```

```
Section "Module"
Load "glx"
EndSection
```

```
Section "InputDevice"
Identifier "Keyboard0"
Driver "kbd"
EndSection
```

```
Section "InputDevice"
Identifier "Mouse0"
Driver "mouse"
Option "Protocol" "auto"
Option "Device" "/dev/input/mice"
Option "ZAxisMapping" "4 5 6 7"
EndSection
```

```
Section "Monitor"
Identifier "Monitor0"
VendorName "Monitor Vendor"
ModelName "Monitor Model"
EndSection
```

```
Section "Device"
### Available Driver options are:-
### Values: <i>: integer, <f>: float, <bool>: "True"/"False",
### <string>: "String", <freq>: "<f> Hz/kHz/MHz",
### <percent>: "<f>%"
### [arg]: arg optional
#Option "SWcursor" # [<bool>]
#Option "kmsdev" # <str>
#Option "ShadowFB" # [<bool>]
#Option "AccelMethod" # <str>
#Option "PageFlip" # [<bool>]
#Option "ZaphodHeads" # <str>
#Option "DoubleShadow" # [<bool>]
Identifier "Card0"
Driver "modesetting"
BusID "PCI:0:2:0"
EndSection
```

```
Section "Screen"
Identifier "Screen0"
Device "Card0"
Monitor "Monitor0"
SubSection "Display"
Viewport 0 0
Depth 1
EndSubSection
SubSection "Display"
Viewport 0 0
Depth 4
EndSubSection
SubSection "Display"
Viewport 0 0
Depth 8
EndSubSection
SubSection "Display"
Viewport 0 0
Depth 15
EndSubSection
SubSection "Display"
Viewport 0 0
Depth 16
EndSubSection
SubSection "Display"
Viewport 0 0
Depth 24
EndSubSection
EndSection
```

, , , (,) /etc/X11/ xorg.conf:

```
sudo mv /root/xorg.conf.new /etc/X11/xorg.conf
```