


- Astra Linux Special Edition .10015-01 (1.7), .10015-10
- Astra Linux Special Edition .10015-17
- Astra Linux Special Edition .10015-37 (7.7)



```
sudo fly-admin-dm
```

The image shows a Linux desktop environment with a window titled "Настройка графического входа" (Graphical Login Settings). The window has several tabs: "Основное" (Main), "Диалог" (Dialog), "Тема" (Theme), "Выключение" (Shutdown), "Пользователи" (Users), and "Дополнительно" (Advanced). The "Пользователи" tab is currently selected. Inside this tab, there are three main sections. The first section, "Идентификаторы системных пользователей" (System user identifiers), has two input fields: "Менее:" (Less than) set to "1000" and "Более:" (More than) set to "29999". The second section, "Пользователи" (Users), contains a list of users with checkboxes next to them. The users listed are @astra-admin, @astra-console, @audio, @cdrom, @dip, @floppy, @lpadmin, @netdev, @plugdev, @scanner, @video, le, and root. The "root" user is checked. The third section, "Выбор пользователей и групп:" (User and group selection), is empty. To the right of the "Пользователи" section, there are two more sections. The first is "Источник изображений пользователей" (User image source), which has three radio buttons: "Системный" (System), "Системный, пользовательский" (System, user) - which is selected, "Пользовательский, системный" (User, system), and "Пользовательский" (User). The second is "Изображения пользователей" (User images), which has a dropdown menu set to "<по умолчанию>" (default) and a "Сброс" (Reset) button. At the bottom of the window, there are four buttons: "Справка" (Help), "Сбросить" (Reset), "По умолчанию" (Default), and "Да" (Yes). The bottom status bar shows system icons (network, volume, power) and the time "09:56 ЧТ, 5 АВГ".

6. .

•

```
kinit admin
```

```
ipa idrange-find
-----
1
-----
: IPADOMAIN0.RU_id_range
  POSIX : 1899200000
        : 200000
RID     RID: 1000
RID     RID: 100000000
: local domain range
```

```
-----[domain/<_>)]
```

```
1
```

```
-----
```

```
1 899 200 000 200 000 ,. 1 899 200 000 1 899 399 999;
```

2. :

a. sssd, /etc/sss/sss.conf FreeIPA ([domain/<_>)] :


```
enumerate = true
```

b. " ":

```
sudo fly-admin-dm
```

c. "";

d. " " , , :



e. "" "" , ;

f. .

Windows AD

astra-ad-sss-client

1. sssd /etc/sss/sss.conf [domain] :

```
enumerate = True
```

2. sssd:

```
sudo systemctl restart sssd
```

astra-winbind



winbind, . sssd.

1. `samba/etc/samba/smb.conf` winbind use default domain winbind enum users yes:

```
winbind use default domain = yes
winbind enum users = yes
```

2. winbind:

```
sudo systemctl restart winbind.service
```