

ALSE .10265-01 .10015-16 . 2: 804/ 802

:



:

- Astra Linux Special Edition .10015-16 . 2
- Astra Linux Special Edition .10265-01 (8.1)



Astra Linux : /boot/boot.conf (. /boot/boot.conf).
: "sclkr=no" .

1. , USB-FLASH .
2. /boot/boot.conf , , "cmdline="



sclkr=no



"no", "0".

- 3.
4. , "ctrl+alt+f2".
5. /root/xorg.conf.new xorg :

X -configure

6. "/etc/X11":

```
cp /root/xorg.conf.new /etc/X11/xorg.conf
```

7. xorg:

```
sed -i -e "/.*ModelName.*\/a \ `cvt 1920 1080 50|grep -v \#`" "/etc/X11/xorg.conf"
sed -i -e '/.*Depth.*24.*\/a \ Modes "1920x1080_50.00"' "/etc/X11/xorg.conf"
```

(: "nano /etc/X11/xorg.conf")

:

```
Section "ServerLayout"
Identifier "X.org Configured"
Screen 0 "Screen0" 0 0
InputDevice "Mouse0" "CorePointer"
InputDevice "Keyboard0" "CoreKeyboard"
EndSection
```

```
Section "Files"
ModulePath "/usr/lib/xorg/modules"
FontPath "/usr/share/fonts/msttcorefonts"
FontPath "/usr/share/fonts/X11/misc"
FontPath "/usr/share/fonts/X11/100dpi:unscaled"
FontPath "/usr/share/fonts/X11/75dpi:unscaled"
FontPath "/usr/share/fonts/X11/Type1"
FontPath "/usr/share/fonts/X11/100dpi"
```

```
FontPath "/usr/share/fonts/X11/75dpi"
FontPath "built-ins"
EndSection

Section "Module"
Load "glx"
EndSection

Section "InputDevice"
Identifier "Keyboard0"
Driver "kbd"
EndSection

Section "InputDevice"
Identifier "Mouse0"
Driver "mouse"
Option "Protocol" "auto"
Option "Device" "/dev/input/mice"
Option "ZAxisMapping" "4 5 6 7"
EndSection

Section "Monitor"
Identifier "Monitor0"
VendorName "Monitor Vendor"
ModelName "Monitor Model"
Modeline "1920x1080" 141.50 1920 2032 2232 2544 1080 1083 1088 1114 -hsync +vsync
EndSection

Section "Device"
### Available Driver options are:-
### Values: <i>: integer, <f>: float, <bool>: "True"/"False",
### <string>: "String", <freq>: "<f> Hz/kHz/MHz",
### <percent>: "<f>%"
### [arg]: arg optional
#Option "SWcursor" # [<bool>]
#Option "kmsdev" # <str>
#Option "ShadowFB" # [<bool>]
#Option "AccelMethod" # <str>
#Option "PageFlip" # [<bool>]
#Option "ZaphodHeads" # <str>
#Option "DoubleShadow" # [<bool>]
Identifier "Card0"
```

8. , ..

9. (/dev/sda1).

10. ,



11. .

12.



13. boot (/dev/sda1):

```
mount /dev/sda1 /mnt
```

14. boot.conf

```
nano /mnt/boot.conf
```

15. , "cmdline=" :

 sclkr=no

16. :

 <ctrl>+<x>
<y>
<enter>

17. :

umount /mnt

18. (- /dev/sda) /etc/X11/xorg.conf :

mount /dev/sda /mnt
cp /etc/X11/xorg.conf /target/etc/X11/xorg.conf

19. :

 <alt>+<f1>

20. .

:

1. ctrl+alt+f2;
2. ;
3. :

sudo su -s

4. .5 .7 .

5. .

, : [xorg.conf](#).