

Bacula FileDaemon ():

- Bacula:
- Bacula:
 - Bacula Director:
 - Bacula Storage:
 - Bacula FileDaemon ():
- Bacula: .
- Bacula: BackUp and Restore
 - Bacula:
 - Bacula:
-
- Bacula FileDaemon
 - (Main conf)
 -
 -
 -
 -
 - (chmod and chown on file)
-

 :

1.

2.

3.

4.

:

```
sudo apt install bacula-fd
```

Bacula FileDaemon

Bacula FileDaemon `/etc/bacula/bacula-fd.conf` , .

.

Bacula :

```
sudo mkdir /etc/bacula/backup-default-conf
```

:

```
sudo mv /etc/bacula/bacula-fd.conf /etc/bacula/backup-default-conf/bacula-fd.conf
```

():

```
sudo touch /etc/bacula/bacula-fd.conf
```


(Main conf)

 IP

```
FileDaemon {  
  
    #
```

```
Name = dir-fd
# ( )
FDport = 9102
# -
WorkingDirectory = /var/lib/bacula
# pid-
Pid Directory = /run/bacula
# .
# ( )
Maximum Concurrent Jobs = 1
# FD,
# (-fd.so)
Plugin Directory = /usr/lib/bacula
# fqdn IP-
FDAddress = 192.168.244.90
}
```

, (/etc/bacula/bacula-fd.conf):




```
Director {
    #
    Name = dir-dir
    #
    Password = "clientpass"
}
```

```
Messages {  
  Name = Standard  
  director = dir-dir = all, !skipped, !restored  
}
```



IP



```

FileDaemon {
    #
    Name = dir-fd
    # ( )
    FDport = 9102
    # -
    WorkingDirectory = /var/lib/bacula

```

```

# pid-
Pid Directory = /run/bacula

#      .

# (      )

Maximum Concurrent Jobs = 1

#      FD,

#      (-fd.so)

Plugin Directory = /usr/lib/bacula

# fqdn      IP-

FDAddress = 192.168.244.90
}

Director {
#
Name = dir-dir

#
Password = "clientpass"
}

Messages {
Name = Standard
director = dir-dir = all, !skipped, !restored
}

```

(chmod and chown on file)

:

```

sudo chmod 644 /etc/bacula/bacula-fd.conf

sudo chown root:bacula /etc/bacula/bacula-fd.conf

```

:

```
sudo systemctl restart bacula-fd.service
```

, .

- Bacula , Bacula .

:

```
sudo journalctl -xe
```



, , (!!!) .