

-
- FreeIPA
- Windows AD
 - astra-ad-sssd-client
 - astra-winbind



:


- Astra Linux Special Edition .10015-01 (1.7), .10015-10
- Astra Linux Special Edition .10015-17
- Astra Linux Special Edition .10015-37 (7.7)




1. " ":

```
sudo fly-admin-dm
```


2. "":



3. "



4. ()



5. "" "" ;

6. .

FreeIPA

. :

1. FreeIPA:

a. , :

```
kinit admin
```

b. . web- FreeIPA :

```
ipa idrange-find
-----
1
-----
: IPADOMAIN0.RU_id_range
  POSIX : 1899200000
      : 200000
  RID   RID: 1000
  RID   RID: 1000000000
      : local domain range
```

1

```
1 899 200 000 200 000 ,. 1 899 200 000 1 899 399 999;
```

2. :

a. sssd, /etc/sss/sss.conf FreeIPA ([domain/<_>]) :


```
enumerate = true
```

b. " ":

```
sudo fly-admin-dm
```

c. "";

d. " " , " " ;



e. "" "" , " " ;

f. .

Windows AD

astra-ad-sss-client

1. sssd /etc/sss/sss.conf [domain] :

```
enumerate = True
```

2. sssd:

```
sudo systemctl restart sssd
```

astra-winbind



winbind, . sssd.

1. samba/etc/samba/smb.conf winbind use default domain winbind enum users yes:

```
winbind use default domain = yes  
winbind enum users = yes
```

2. winbind:

```
sudo systemctl restart winbind.service
```