

Astra Linux Special Edition 1.5

Windows AD

Astra Linux 1.5 SE Windows. SAMBA, Winbind, Apache Postgresql.

- [Astra Linux SE/CE](#) [AD](#)
- [Astra Linux](#) [Windows](#)
 - [\(root\)](#)
 -
 -
 -
 - [Apache](#) [Postgresql](#) [Kerberos](#)

Astra Linux SE/CE AD

Astra Linux SE 1.5 Astra Linux CE 1.11 AD. [astra-winbind_1.7-1_all.deb](#)

, :

```
sudo dpkg -i astra-winbind_1.7-1_all.deb
```

:

```
sudo apt-get -f install
```

Astra Linux AD:

[fly-admin-ad_0.1.2_amd64.deb](#)

:

```
sudo dpkg -i fly-admin-ad_0.1.2_amd64.deb
```

, " Active Directory"

 , AD ALD .

! samba, AD , /var/cache/samba/* /var/lib/samba/*

Astra Linux Windows

:

:

```
- dc
- dev.local
- Windows Server 2008 R2.
ip - 192.168.1.1
```

-:

```
- ws3
- Astra Linux 1.5 SE.    ALD    .    :    ,    Fly,    ,    ,    .
ip - 192.168.1.3
```

(root)

root:

```
sudo passwd -u root
```

root:

```
sudo passwd root
```

root. su root-. root, sudo. root !

/etc/hosts :

/etc/hosts

```
192.168.1.3      ws3.dev.local ws3
127.0.0.1        localhost
```

127.0.1.1 ws3 .

, /etc/hostname :

/etc/hostname

ws3

ip-. /etc/network/interfaces :

/etc/network/interfaces

```
auto eth0
iface eth0 inet static
address 192.168.1.3
gateway 192.168.1.1
netmask 255.255.255.0
```

/etc/resolv.conf :

/etc/resolv.conf

```
domain dev.local
search dev.local
nameserver 192.168.1.1
```

:

```
sudo service networking restart
```

:

```
ip a
```

ws3 icmp :

```
ping dc.dev.local
```

:

```
sudo ntpdate dc.dev.local
```

samba, winbind, ntp, apache2 postgresql:

```
sudo dpkg -l samba winbind ntp apache2 postgresql
```

():

```
sudo apt-get install nscd nslcd libpam-winbind libpam-krb5 libapache2-mod-  
auth-kerb php5 php5-pgsql php5-sybase php5-ldap libsasl2-modules-ldap  
libsasl2-modules-gssapi-mit krb5-user
```

:

```
sudo ldconfig
```

/etc/krb5.conf :

```

[libdefaults]
    default_realm = DEV.LOCAL
    krb4_config = /etc/krb.conf
    krb4_realms = /etc/krb.realms
    kdc_timesync = 1
    ccache_type = 4
    forwardable = true
    proxyable = true
    v4_instance_resolve = false
    v4_name_convert = {
        host = {
            rcmd = host
            ftp = ftp
        }
        plain = {
            something = something-else
        }
    }
    fcc-mit-ticketflags = true
[realms]
DEV.LOCAL = {
    kdc = dc.dev.local
    admin_server = dc.dev.local
    default_domain = dev.local
}
[domain_realm]
.dev.local = DEV.LOCAL
dev.local = DEV.LOCAL
[login]
krb4_convert = true
krb4_get_tickets = false

```

/etc/samba/smb.conf. - , :

```

[global]
workgroup = DEV
realm = DEV.LOCAL
os level = 0
invalid users = root
load printers = no
show add printer wizard = no
printcap name = /dev/null
disable spoolss = yes
dns proxy = no
security = ads
kerberos method = secrets and keytab
dedicated keytab file = /etc/krb5.keytab
encrypt passwords = true
domain logons = no
socket options = TCP_NODELAY
local master = no
domain master = no
preferred master = no
idmap config * : range = 10000-20000
idmap config * : backend = tdb
template shell = /bin/bash
template homedir = /home/%D/%U
winbind enum groups = yes
winbind enum users = yes
winbind use default domain = yes
winbind offline logon = yes
winbind refresh tickets = yes

```

! samba, /var/cache/samba/* /var/lib/samba/*

samba, :

```
testparm
```

/etc/security/limits.conf. :

/etc/security/limits.conf

```
* - nofile 65536
root - nofile 65536
```

:

```
ulimit -n 65536
```

/etc/nsswitch.conf:

```
passwd: compat winbind
group: compat winbind
shadow: compat
hosts: files dns
networks: files
protocols: db files
services: db files
ethers: db files
rpc: db files
netgroup: nis
```

/etc/pam.d/common-session. :

```
session optional pam_mkhomedir.so skel=/etc/skel/ umask=0077
```

:

```
sudo service samba restart
sudo service winbind restart
sudo service ntp restart
sudo service nscd restart
sudo service nslcd restart
```

Astra Linux windows ():

```
sudo net ads join -U Administrator
```

/etc/krb5.keytab. :

```
sudo net ads keytab list
```

/etc/krb5.keytab:

```
sudo chmod 0644 /etc/krb5.keytab
```

:

```
sudo insserv -v /etc/init.d/apache2
sudo insserv -v /etc/init.d/samba
```

Postgresql :

```
chkconfig --list postgresql
```

:

```
sudo reboot
```

:

```
sudo service samba status
sudo service winbind status
sudo service nscd status
sudo service nslcd status
sudo service apache2 status
sudo service postgresql status
```

, :

```
sudo net ads testjoin
sudo wbinform -p
sudo wbinform -t
sudo wbinform -u
sudo getent passwd | grep DEV
```

Kerberos. tgt :

```
kinit Administrator
klist
kdestroy
```

Apache Postgresql Kerberos

/etc/apache2/sites-available/default. Kerberos:

```
<Directory /var/www/>
  AuthType Kerberos
  KrbServiceName host/ws3.dev.local@DEV.LOCAL
  Krb5Keytab /etc/krb5.keytab
  KrbMethodK5Passwd off
  KrbLocalUserMapping on
  KrbSaveCredentials on
  Require valid-user
</Directory>
```

, KrbServiceName, /etc/krb5.keytab. :

```
net ads keytab list
```

www-data, Apache, macdb :

```
usermod -a -G shadow www-data
setfacl -d -m u:www-data:r /etc/parsec/macdb
setfacl -R -m u:www-data:r /etc/parsec/macdb
setfacl -m u:www-data:rx /etc/parsec/macdb
setfacl -m u:www-data:r /etc/krb5.keytab
```

, -, :

```
sudo pdpl-user -z domain_user
```

Apache:

```
sudo service apache2 restart
```

/etc/postgresql/9.4/main/postgresql.conf.:

```
listen_addresses = '*'
krb_server_keyfile = '/etc/krb5.keytab'
krb_caseins_users = off
```

/etc/postgresql/9.4/main/pg_hba.conf:

```
local all all peer
host all all 192.168.1.0/24 gss
```

postgres, Postgresql, macdb :

```
sudo usermod -a -G shadow postgres
sudo setfacl -d -m u:postgres:r /etc/parsec/macdb
sudo setfacl -R -m u:postgres:r /etc/parsec/macdb
sudo setfacl -m u:postgres:rx /etc/parsec/macdb
sudo setfacl -m u:postgres:r /etc/krb5.keytab
```

Postgresql:

```
sudo service postgresql restart
```

dc ws3, :

```
sudo setspn -A postgres/ws3.dev.local ws3
```

root , :

```
sudo usermod -e 1 root
```