


# Bacula FileDaemon ():

- Bacula:
- Bacula:
  - Bacula Director:
  - Bacula Storage:
  - Bacula FileDaemon ():
- Bacula: .
- Bacula: BackUp and Restore
  - Bacula:
  - Bacula:
- 
- Bacula FileDaemon
  - (Main conf)
  - 
  - 
  - 
  - 
  - (chmod and chown on file)
- 

 :

1.

2.

3.

4.

:

```
sudo apt install bacula-fd
```

## Bacula FileDaemon

Bacula FileDaemon **/etc/bacula/bacula-fd.conf** , .

.

Bacula :

```
sudo mkdir /etc/bacula/backup-default-conf
```


:

```
sudo mv /etc/bacula/bacula-fd.conf /etc/bacula/backup-default-conf/bacula-fd.conf
```

():

```
sudo touch /etc/bacula/bacula-fd.conf
```

### (Main conf)

 IP

```
FileDaemon {  
  
    #
```

```
Name = dir-fd

#      (      )

FDport = 9102

#      -

WorkingDirectory = /var/lib/bacula

# pid-

Pid Directory = /run/bacula

#      .

# (      )

Maximum Concurrent Jobs = 1

#      FD,

#      (-fd.so)


Plugin Directory = /usr/lib/bacula

# fqdn      IP-

FDAddress = 192.168.244.90

}
```

, ( /etc/bacula/bacula-fd.conf ):




```
Director {
    #
    Name = dir-dir
    #
    Password = "clientpass"
}
```

```
Messages {  
Name = Standard  
director = dir-dir = all, !skipped, !restored  
}
```



IP



```
FileDaemon {

  #

  Name = dir-fd

  #      (    )

  FDport = 9102

  #      -

  WorkingDirectory = /var/lib/bacula
```

```

# pid-
Pid Directory = /run/bacula

#      .

# (      )

Maximum Concurrent Jobs = 1

#      FD,

#      (-fd.so)

Plugin Directory = /usr/lib/bacula

# fqdn      IP-

FDAddress = 192.168.244.90
}

Director {
    #

Name = dir-dir

    #

Password = "clientpass"
}

Messages {

Name = Standard

director = dir-dir = all, !skipped, !restored
}

```

### **(chmod and chown on file)**

:

```

sudo chmod 644 /etc/bacula/bacula-fd.conf

sudo chown root:bacula /etc/bacula/bacula-fd.conf

```

:

```
sudo systemctl restart bacula-fd.service
```

, .

- Bacula , Bacula .

:

```
sudo journalctl -xe
```



, , (!!!) .