

# ALSE .10265-01 .10015-16 . 2: 804/ 802

:



:

- Astra Linux Special Edition .10015-16 . 2
- Astra Linux Special Edition .10265-01 ( 8.1)



Astra Linux : /boot/boot.conf (. /boot/boot.conf).  
: "sclkr=no" .

1. , USB-FLASH .
2. /boot/boot.conf , , "cmdline="



sclkr=no



"no", "0".

- 3.
4. , "ctrl+alt+f2".
5. /root/xorg.conf.new xorg :

```
X -configure
```

6. "/etc/X11":

```
cp /root/xorg.conf.new /etc/X11/xorg.conf
```

7. xorg:

```
sed -i -e '/*.*ModelName.*/*a \ `cvt 1920 1080 50|grep -v \#`' "/etc/X11/xorg.conf"  
sed -i -e '/*.*Depth.*24.*/*a \ Modes "1920x1080_50.00"' "/etc/X11/xorg.conf"
```

```
( : "nano /etc/X11/xorg.conf")
```

:

```
Section "ServerLayout"  
Identifier "X.org Configured"  
Screen 0 "Screen0" 0 0  
InputDevice "Mouse0" "CorePointer"  
InputDevice "Keyboard0" "CoreKeyboard"  
EndSection
```

```
Section "Files"  
ModulePath "/usr/lib/xorg/modules"  
FontPath "/usr/share/fonts/msttcorefonts"  
FontPath "/usr/share/fonts/X11/misc"  
FontPath "/usr/share/fonts/X11/100dpi:unscaled"  
FontPath "/usr/share/fonts/X11/75dpi:unscaled"  
FontPath "/usr/share/fonts/X11/Type1"  
FontPath "/usr/share/fonts/X11/100dpi"
```

```
FontPath "/usr/share/fonts/X11/75dpi"
FontPath "built-ins"
EndSection
```

```
Section "Module"
Load "glx"
EndSection
```

```
Section "InputDevice"
Identifier "Keyboard0"
Driver "kbd"
EndSection
```

```
Section "InputDevice"
Identifier "Mouse0"
Driver "mouse"
Option "Protocol" "auto"
Option "Device" "/dev/input/mice"
Option "ZAxisMapping" "4 5 6 7"
EndSection
```

```
Section "Monitor"
Identifier "Monitor0"
VendorName "Monitor Vendor"
ModelName "Monitor Model"
Modeline "1920x1080" 141.50 1920 2032 2232 2544 1080 1083 1088 1114 -hsync +vsync
EndSection
```

```
Section "Device"
### Available Driver options are:-
### Values: <i>: integer, <f>: float, <bool>: "True"/"False",
### <string>: "String", <freq>: "<f> Hz/kHz/MHz",
### <percent>: "<f>%"
### [arg]: arg optional
#Option "SWcursor" # [<bool>]
#Option "kmsdev" # <str>
#Option "ShadowFB" # [<bool>]
#Option "AccelMethod" # <str>
#Option "PageFlip" # [<bool>]
#Option "ZaphodHeads" # <str>
#Option "DoubleShadow" # [<bool>]
Identifier "Card0"
```

8. , ..

9. ( /dev/sda1).

10. ,



11. .

12.



13. boot ( /dev/sda1):

```
mount /dev/sda1 /mnt
```


14. boot.conf

```
nano /mnt/boot.conf
```

15. , "cmdline=":

 sclkr=no

16. :

 <ctrl>+<x>  
<y>  
<enter>

17. :

```
umount /mnt
```

18. ( - /dev/sda) /etc/X11/xorg.conf :

```
mount /dev/sda /mnt  
cp /etc/X11/xorg.conf /target/etc/X11/xorg.conf
```

19. :

 <alt>+<f1>

20. .

:

1. ctrl+alt+f2;

2. ;

3. :

```
sudo su -s
```

4. .5 .7 .

5. .

, : [xorg.conf](#).