# ALSE .10265-01  .10015-16 . 2:  804/ 802

:

- Astra Linux Special Edition .10015-16 . 2
- Astra Linux Special Edition .10265-01 (  8.1)

Astra Linux  : /boot/boot.conf (.  /boot/boot.conf).
 ,  : "sclkr=no"  .

1.  , USB-FLASH  .
2. /boot/boot.conf  ,  , "cmdline="

   sclkr=no

   "no",  "0".

3.
4.  ,  "ctrl+alt+f2".
5. /root/xorg.conf.new  xorg :

```
X -configure
```

6. "/etc/X11":

```
cp /root/xorg.conf.new /etc/X11/xorg.conf
```

7. xorg:

```
sed -i -e "/.*ModelName.*/a \ `cvt 1920 1080 50|grep -v \#`" "/etc/X11
/xorg.conf"
sed -i -e '/.*Depth.*24.*/a \ Modes "1920x1080_50.00"' "/etc/X11/xorg.
conf"
```

(  : "nano /etc/X11/xorg.conf")

 :

```
Section "ServerLayout"
Identifier "X.org Configured"
Screen 0 "Screen0" 0 0
InputDevice "Mouse0" "CorePointer"
InputDevice "Keyboard0" "CoreKeyboard"
EndSection

Section "Files"
ModulePath "/usr/lib/xorg/modules"
FontPath "/usr/share/fonts/msttcorefonts"
FontPath "/usr/share/fonts/X11/misc"
FontPath "/usr/share/fonts/X11/100dpi/:unscaled"
FontPath "/usr/share/fonts/X11/75dpi/:unscaled"
FontPath "/usr/share/fonts/X11/Type1"
FontPath "/usr/share/fonts/X11/100dpi"
```

```
FontPath "/usr/share/fonts/X11/75dpi"
FontPath "built-ins"
EndSection

Section "Module"
Load "glx"
EndSection

Section "InputDevice"
Identifier "Keyboard0"
Driver "kbd"
EndSection

Section "InputDevice"
Identifier "Mouse0"
Driver "mouse"
Option "Protocol" "auto"
Option "Device" "/dev/input/mice"
Option "ZAxisMapping" "4 5 6 7"
EndSection

Section "Monitor"
Identifier "Monitor0"
VendorName "Monitor Vendor"
ModelName "Monitor Model"
ModeLine "1920x1080" 141.50 1920 2032 2232 2544 1080 1083 1088 1114 -hsync +vsync
EndSection

Section "Device"
### Available Driver options are:-
### Values: <i>: integer, <f>: float, <bool>: "True"/"False",
### <string>: "String", <freq>: "<f> Hz/kHz/MHz",
### <percent>: "<f>%"
### [arg]: arg optional
#Option "SWcursor" # [<bool>]
#Option "kmsdev" # <str>
#Option "ShadowFB" # [<bool>]
#Option "AccelMethod" # <str>
#Option "PageFlip" # [<bool>]
#Option "ZaphodHeads" # <str>
#Option "DoubleShadow" # [<bool>]
Identifier "Card0"
```

8. , ..
9. ( /dev/sda1).
10. ,

    " "

11. .
12. 

    <alt>+<f2>

13. boot ( /dev/sda1):

    ```
    mount /dev/sda1 /mnt
    ```

14. boot.conf

    ```
    nano /mnt/boot.conf
    ```

15. , "cmdline=" :

sclkr=no

16. :

<ctrl>+<x>
<y>
<enter>

17. :

```
umount /mnt
```

18. ( - /dev/sda) /etc/X11/xorg.conf :

```
mount /dev/sda /mnt
cp /etc/X11/xorg.conf /target/etc/X11/xorg.conf
```

19. :

<alt>+<f1>

20. .

:

1. ctrl+alt+f2;
2. ;
3. :

```
sudo su -s
```

4. .5 .7 .
5. .

, : xorg.conf.