

# Samba AD



- 

- 



[wiki.samba.org](http://wiki.samba.org)



, Samba DC , AD. Samba NT4 Samba AD.



- fly-admin-ad-server . [Astra Linux](#) [Samba AD](#) [Windows AD](#).
- . [Samba DC](#) [Active Directory](#).

- LDAP AD. . [Samba AD DC](#) [OpenLDAP](#) [LDAP](#);
- Kerberos Key Distribution Center (KDC). MIT KDC Heimdal KDC; Astra Linux Samba MIT KDC, ;
- DNS;
- DNS ( [DNS BIND9](#)).

- AD DC. , PDC BDC, NT4. AD, ;
- DNS- AD. (realm) Kerberos AD ;

 AD DNS-, . Samba DNS AD Kerberos.

(FQDN), dc2.samdom.example.com:

```
sudo hostnamectl set-hostname dc2.samdom.example.com
```

- . . . AD;
- (, resolvconf), DNS /etc/resolv.conf.  
AD DC DNS, DNS AD . DNS, /etc/resolv.conf :

 search samdom.example.com  
nameserver 10.0.2.254

- , /etc/hosts DC (fully-qualified domain name, FQDN) DC IP- DC. :

 127.0.0.1 localhost.localdomain localhost  
10.0.2.254 DC.samdom.example.com DC

IP- 127.0.0.1 IP-, DC. :

```
host `hostname`
```

## Samba ()

Samba ():

- , Samba :

```
ps ax | egrep "samba|smbd|nmbd|winbindd|krb5-kdc"
```

- samba, smbd, nmbd, winbindd, :

```
sudo systemctl stop smbd nmbd winbind krb5-kdc
sudo systemctl mask smbd nmbd winbind krb5-kdc
```

:

- (apt install winbind) winbind 'd';
- (ps fax | grep winbindd) winbindd 'dd';
- (systemctl status winbind) winbind 'd';

- Samba smb.conf file. :

```
sudo smbdc -b | grep "CONFIGFILE"
```

```
CONFIGFILE: /usr/local/samba/etc/samba/smb.conf
```

◦ Samba (\*.tdb \*.ldb). :

```
sudo smbdc -b | egrep "LOCKDIR|STATEDIR|CACHEDIR|PRIVATE_DIR"
```

```
LOCKDIR: /usr/local/samba/var/lock/  
STATEDIR: /usr/local/samba/var/locks/  
CACHEDIR: /usr/local/samba/var/cache/  
PRIVATE_DIR: /usr/local/samba/private/
```



, , Samba DC.

- Kerberos /etc/krb5.conf file, :

```
sudo rm /etc/krb5.conf
```

## Samba

samba Astra Linux, [synaptic](#),

```
sudo apt install samba
```

samba smbdc "".

samba . samba AD samba :

```
sudo apt install samba winbind libpam-winbind libnss-winbind libpam-krb5  
krb5-config krb5-user krb5-kdc bind9
```

- bind9 - DNS.

## Samba AD DC

, , Samba:

```
sudo systemctl stop winbind smbdc nmbdc krb5-kdc  
sudo systemctl mask winbind smbdc nmbdc krb5-kdc  
sudo rm /etc/samba/smb.conf
```

samba-tool domain provision. . .:

```
samba-tool domain provision --help
```

AD NIS (NIS extensions), samba-tool domain provision --use-rfc2307.  
AD Unix:

- (UID);
- ;
- .

NIS , AD.

∴

- RFC2307 AD
- idmap config = ad

:

|                          |               |                                                            |
|--------------------------|---------------|------------------------------------------------------------|
|                          |               |                                                            |
| --use-rfc2307            | --use-rfc2307 | NIS                                                        |
| Realm                    | --realm       | Kerberos. , DNS AD . : samdom.example.com.                 |
| Domain                   | --domain      | NetBIOS.<br>DNS AD.<br>, samdom.example.com samdom.        |
| Server Role              | --server-role | DC.                                                        |
| DNS backend              | --dns-backend | DNS.<br><div>! DC AD - DNS.</div><br>NONE BIND9_FLATFILE . |
| DNS forwarder IP address |               | DNS SAMBA_INTERNAL DNS. . DNS.                             |
| Administrator password   | --adminpass   | .<br><div>!</div><br>. Microsoft TechNet: .                |

, samba-tool domain provision:

--option="interfaces=lo eth0" --option="bind interfaces only=yes": , Samba . samba-tool .



- NONE DNS, ;
- DNS BIND, BIND9\_FLATFILE, ;
- DC AD DC , (Join) DC.

## Samba

:

```
sudo samba-tool domain provision --use-rfc2307 --interactive

# Samba
sudo systemctl unmask samba-ad-dc
sudo systemctl enable samba-ad-dc
```

```
# samba DNS
echo 'include "/var/lib/samba/bind-dns/named.conf";' | sudo tee -a /etc/bind/named.conf
sudo chown -R root:bind /var/lib/samba/bind-dns
sudo systemctl restart bind9
```

```
# Samba
sudo systemctl start samba-ad-dc
```

:

```
# Kerberos
Realm [SAMDOM.EXAMPLE.COM]: SAMDOM.EXAMPLE.COM
```

```
#
Domain [SAMDOM]: SAMDOM
```

```
#
Server Role (dc, member, standalone) [dc]: dc
```

```
# DNS
DNS backend (SAMBA_INTERNAL, BIND9_FLATFILE, BIND9_DLZ, NONE) [SAMBA_INTERNAL]: BIND9_DLZ
```

```
# IP- DNS
DNS forwarder IP address (write 'none' to disable forwarding) [10.0.2.254]: 8.8.8.8
```

```
#
Administrator password: Passw0rd
Retype password: Passw0rd
```

```
Looking up IPv4 addresses
Looking up IPv6 addresses
No IPv6 address will be assigned
Setting up share.ldb
Setting up secrets.ldb
Setting up the registry
Setting up the privileges database
Setting up idmap db
Setting up SAM db
Setting up sam.ldb partitions and settings
Setting up sam.ldb rootDSE
Pre-loading the Samba 4 and AD schema
Adding DomainDN: DC=samdom,DC=example,DC=com
Adding configuration container
Setting up sam.ldb schema
Setting up sam.ldb configuration data
Setting up display specifiers
Modifying display specifiers
Adding users container
Modifying users container
Adding computers container
Modifying computers container
Setting up sam.ldb data
Setting up well known security principals
Setting up sam.ldb users and groups
Setting up self join
Adding DNS accounts
Creating CN=MicrosoftDNS,CN=System,DC=samdom,DC=example,DC=com
Creating DomainDnsZones and ForestDnsZones partitions
Populating DomainDnsZones and ForestDnsZones partitions
Setting up sam.ldb rootDSE marking as synchronized
Fixing provision GUIDs
A Kerberos configuration suitable for Samba 4 has been generated at /usr/local/samba/private/krb5.conf
Setting up fake yp server settings
Once the above files are installed, your Samba4 server will be ready to use
Server Role: active directory domain controller
Hostname: DC
NetBIOS Domain: SAMDOM
DNS Domain: samdom.example.com
DOMAIN SID: S-1-5-21-2614513918-2685075268-614796884
```

samba-tool domain provision, , .

## Samba

Samba :

- : dc
- NIS:
- DNS: DNS BIND9\_DLZ
- Kerberos DNS AD: samdom.example.com
- NetBIOS: SAMDOM
- : Passw0rd
- 10.0.2.0/24
- Samba 10.0.2.254

:

```
sudo samba-tool domain provision --server-role=dc --use-rfc2307 --dns-backend=BIND9_DLZ --realm=SAMDOM.EXAMPLE.COM --domain=SAMDOM --adminpass=Passw0rd
```

:

```
#      :
sudo systemctl unmask samba-ad-dc
sudo systemctl enable samba-ad-dc

#      samba  DNS
echo 'include "/var/lib/samba/bind-dns/named.conf";' | sudo tee -a /etc/bind/named.conf
sudo chown -R root:bind /var/lib/samba/bind-dns
sudo systemctl restart bind9

#      Kerberos
sudo cp -b /var/lib/samba/private/krb5.conf /etc/krb5.conf

#      Samba
sudo systemctl start samba-ad-dc
```

Samba AD. , AD , , , .

samba-tool dns zonecreate :

```
samba-tool dns zonecreate samdom.example.com 2.0.10.in-addr.arpa -U Administrator
```

```
-----
Password for [administrator@SAMDOM.EXAMPLE.COM]:
Zone 2.0.10.in-addr.arpa created successfully
```

' Samba BIND.



Kerberos . . . [Astra Linux](#).

## DNS

AD DNS , , , LDAP Kerberos. DNS, DNS AD.

DHCP, , . [DHCP](#)

DHCP, - /etc/resolv.conf.  
:

- DNS AD (search),
- IP- DC nameserver.

:



search samdom.example.com  
nameserver 10.0.2.254

DNS , , IP- .

, IP- [DHCP](#), DNS . . [DNS FreeIPA](#);

, , :

1. [DHCP](#) ;
2. . . [DNS](#).

## Kerberos

AD, Kerberos , , .

Kerberos . [Kerberos](#)

Samba /var/lib/samba/private/krb5.conf Kerberos, DC.



Kerberos , .

Kerberos Kerberos (KDC) (SRV). , , , , (. [DNS- BIND9](#)).

netlogon sysvol, DC. , DC:

```
smbclient -L localhost -U%
```

Domain=[SAMDOM] OS=[Unix] Server=[Samba x.y.z]

Sharename Type Comment

-----

netlogon Disk

sysvol Disk

IPC\$ IPC IPC Service (Samba x.y.z)

Domain=[SAMDOM] OS=[Unix] Server=[Samba x.y.z]

Server Comment

-----

Workgroup Master

-----

, netlogon :

```
smbclient //localhost/netlogon -UAdministrator -c 'ls'
```

```
Enter Administrator's password:  
Domain=[SAMDOM] OS=[Unix] Server=[Samba x.y.z]  
. D 0 Tue Nov 1 08:40:00 2016  
.. D 0 Tue Nov 1 08:40:00 2016
```

```
49386 blocks of size 524288. 42093 blocks available
```

, .

Samba AD DC Samba samba-tool.

:

| dbcheck    | AD                                        |
|------------|-------------------------------------------|
| delegation |                                           |
| dns        | DNS                                       |
| domain     |                                           |
| drs        | (Directory Replication Services, DRS)     |
| dsacl      | DS                                        |
| fsmo       | (Flexible Single Master Operations, FSMO) |
| gpo        |                                           |
| group      |                                           |
| ldapcmp    | ldap                                      |
| ntacl      | ACL                                       |
| processes  | ( setproctitle).                          |
| rodc       | (Read-Only Domain Controller, RODC)       |
| sites      |                                           |
| spn        | (Service Principal Name, SPN)             |
| testparm   |                                           |
| time       |                                           |
| user       |                                           |
| visualize  | Samba                                     |

man:

```
man samba-tool
```

```
samba-tool -h
```

wbinfo

samba winbindd.

wbinfo,  
AD.

:

|               |  |
|---------------|--|
|               |  |
| wbinfo -u     |  |
| wbinfo -g     |  |
| wbinfo -i _   |  |
| wbinfo -?     |  |
| wbinfo --help |  |

-

, AD Linux-  
Linux- Active Directory Samba AD DC .

Samba AD DC

Samba /etc/samba/smb.conf winbind ( ):



[global]  
netbios name = DHCP  
realm = SAMDOM.EXAMPLE.COM  
server role = active directory domain controller  
server services = s3fs, rpc, nbt, wrepl, ldap, cldap, kdc, drepl, winbindd, ntp\_signd, kcc, dnsupdate  
workgroup = SAMDOM  
idmap\_ldb:use rfc2307 = yes  
  
**template shell = /bin/bash**  
**winbind use default domain = true**  
**winbind offline logon = false**  
**winbind nss info = rfc2307**  
  
**winbind enum users = yes**  
**winbind enum groups = yes**

testparm

samba.

:

pam-auth-update

, PAM.  
- winbind, ""  
"Tab", "", .

/etc/nsswitch.conf winbind password group:

 # /etc/nsswitch.conf  
#  
# Example configuration of GNU Name Service Switch functionality.  
# If you have the 'glibc-doc-reference' and 'info' packages installed, try:  
# 'info libc "Name Service Switch"' for information about this file.

passwd: compat **winbind**  
group: compat **winbind**  
shadow: compat

hosts: files dns  
networks: files

protocols: db files  
services: db files  
ethers: db files  
rpc: db files

netgroup: nis

AD

/etc/pam.d/common-password password [success=1 default=ignore] pam\_winbind.so use\_authtok try\_first\_passfile  
use\_authtok statement:

 password [success=1 default=ignore] pam\_winbind.so ~~use\_authtok~~ try\_first\_pass

:

, Samba AD DC , , Samba DC :

- , , , DC, , ;
- DC ;
- , , Samba, , , ;
- DC . DC . , AD DC , , , 20 , ;
- mandatory smb signing is enforced on the DC.

Samba DC , DC VM, .

Samba DC , , (virtual file system, VFS) access (control lists, ACL) Windows.  
ACL POSIX Samba DC , .

Samba, Samba.

..

- [Samba](#)
- [Samba](#)

( , ), Samba, DC , Winbindd .

..: [Configuring Winbindd on a Samba AD DC.](#)

..: [Samba AD DC](#)